



Report #:

IF-824-QSA-TR006-BTL26632-04

Page 1 of 2



Title:

Certificate of Analysis (CoA)

Date: 6/5/2026
Date Tested: 6/1/2026
Customer: inspirepeptide.com
Testing material: Retatrutide
Lot Number: GN2605
BT Sample ID: 005000040271684
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, white plastic cap.
Labeled as: RT
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	104.9 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	12.4 mg (124 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	12.4 : 92.5 mg (1:7.5)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133


E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: RT Lot GN2605



HPLC Purity and Potency Assay @ 280 nm: RT Lot GN2605



Retatrutide Lot GN2605 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	9.967	624.3